



# CLCF Climate Changer™

for hospital and laboratory applications  
Next generation air handling performance



TRANE  
TECHNOLOGIES

# Optimized performance with high reliability

## Superior performance

Designed and developed through full understanding of customer insights and Trane's worldwide professional expertise, each component of the Trane CLCF Climate Changer has been chosen for superior performance in **hospitals, laboratories, pharmaceutical and other healthcare applications.**

- 12 sizes for inline units
- 7 sizes optimized for stacked heat recovery
- **Airflow ranges from 1,000 m<sup>3</sup>/h to 45,000 m<sup>3</sup>/h**
- Wide array of **fan and coil options**
- Trane experts pre-select and install optimal combination of control components to ensure system reliability and consistency.

The CLCF Climate Changer for hospital and laboratory applications combines the best characteristics of a standardized, packaged air handling system with the flexibility and features of a custom line.

Trane's **advanced design selection software** is Eurovent Certified and helps determine the correct machine design and component mix, to achieve Eurovent best in Energy Class A (EN 1886/EN 13053).



Eurovent-certified casing mechanical characteristics	Values	Eurovent Class
Casing Air Leakage	0.15 l/s/m <sup>2</sup> under -400 Pa 0.22 l/s/m <sup>2</sup> under +700 Pa	L1
Casing Strength	4 mm/m	D1 (D2 for MW)
Filter Bypass Leakage	0.5% under 400 Pa	F9
Thermal Transmittance	1 w/m <sup>2</sup> .K	T2
Thermal Bridging Factor	0.6 factor	TB2



## Lower installed costs

The Trane CLCF Climate Changer air handler includes many features designed to reduce installation time and costs:

- **Lifting lugs are integrated** on the robust base frame and all units ship with a skid designed for forklift transport.
- **Quick, unique and reliable tool-less mechanical connection system** is built into the unit when the machine is delivered on-site in multiple pieces. Together with the **integrated gasket**, this tool-less connection ensures best in class air-tightness integrity.
- Stable, solid, full-perimeter integrated base frame supports the unit. The base frame is **fully enclosed to prevent water, dust, and bacterial traps.**



Built-in removable lifting lugs



Quick and reliable connection system

The Climate Changer for comfort applications offers:

- Superior performance
- Lower installed costs
- High energy efficiency
- Reliable indoor air quality

# Designed to promote operating efficiency while delivering clean air

## High energy efficiency

- Fans are responsible for significant operating costs in a machine. **Trane's expansive fan options (different sizes, types and technologies: forward, backward, plug fan)** provide the best fan assembly based on application requirements.
- Additional **energy recovery options** exist such as plate heat exchangers and coil loops, which can increase the **energy efficiency performance of the machine by up to 75%**.
- A **high-strength casing design** offers better insulation and minimizes leakage rates.
- **Innovative EPDM seamless gasket seals** integrated into the door panels, result in industry leading low leakage rates, and sustains machine air tightness.
- **Unitized structured panel design** minimizes the number of seams that could introduce air leak paths.

## Reliable indoor air quality


- **4-point inclined floor** serves as an integrated drain pan and is available on all sections of the unit as an option. The integrated design promotes easy cleaning and prevents dust and bacterial traps.
- **Centralized vertical drain** provides natural evacuation of condensate and bacteria.
- **Interior panels are completely smooth** and all seams are protected by an anti-bacterial, silicon-free sealant. Rounded interior corners help ease cleaning.
- **Casing is watertight** and can be disinfected using liquid products.
- **Eurovent Class 3 dampers EN 1751** ensure exceptional air tightness.
- As an option, **antimicrobial copper coil fins** inhibit the growth of bacteria and maintain high levels of energy efficiency.



Rounded, smooth corners



EPDM seamless gasket



4-point inclined floor

## Factory-installed controls for optimized performance

The CLCF Climate Changer™ is equipped with fully integrated, factory-installed Trane controls, optimized to **maintain peak performance and secure lower costs of ownership**. These control options have been designed specifically by Trane for the CLCF Climate Changer.

When controls are factory-installed:

- **No additional case drilling** is necessary and casing integrity is maintained, leakage rate potential is minimized and less time is spent by the installer to get the machine running.
- **Segregated cable channel** (main power and controls) is integrated into the top panel of the machine, providing clean and reliable cabling system.
- Sensors and sequences deliver optimal operating efficiencies and ensure that casing openings have been properly sealed.
- Connectivity to **Building Management Systems** is possible.
- Commissioning guarantees the air handler performance and expected integrity. **Trane technicians provide full commissioning** of the Climate Changer when equipped with factory-mounted controls.



Segregated cable channel and factory-installed control panel



Intuitive control dashboard




# Climate Changer for hospital and laboratory applications features:

**High casing strength value,** best in class reflection maximum of 4 mm/meter.

**Eurovent Class 3 dampers EN1751** ensure exceptional air tightness.

**Interior panels are completely smooth** and all seams are protected by an anti-bacterial, silicon-free sealant, ensuring watertightness.

**Frameless casing** (available in galvanized steel, painted galvanized steel, aluminium, or stainless steel 304 or 316) has no block-off, and dimensions are based on universal filter dimensions, which reduce pressure drops up to 50%.



**High density rockwool insulation,** 80 kg/m<sup>3</sup> with 2.0 mm double skinned panel thickness provides high quality sound attenuation, estimated to exceed 40dB for acoustically sensitive applications.

**All interior corners are rounded** to help ease cleaning.

**Lifting lugs** are integrated on the base frame.


**4-point inclined floor** serves as an integrated drain pan and is available on all unit sections (option).

**Centralized vertical drain** promotes natural evacuation of condensate and bacteria and is available on all unit sections (option).

**Unitized structured panel design** minimizes the number of seams that could introduce air leak paths.

**50 mm polyurethane foam-injected panels** ensure less energy leakage and a sustainable thermal class over time (PU  $\lambda = 0,022$  W/m.K, which is up to two times better than mineral wool). Homogenous, inert/non-fibred polyurethane insulation is not affected by water or humidity, which minimizes sweating and bacterial growth inside the machine.

**Internal thermal breaks** and standard thermal break access doors. The no-through metal design delivers thermal performance that helps ensure condensation will not form on the casing exterior, even with 12°C supply air temperature and unit external conditions of 35°C DB/40% HR, ensuring machine cleanliness and increased maintenance safety.



Unit is versatile for **outdoor applications**, with roof and rain hood options.

Full perimeter **integrated base frame** is fully enclosed to prevent water, dust and bacterial traps.

All machine main power components (fan motors, electric heaters, etc.) are connected to the main control box, creating a **single power source** (integrated controls only).

**Antimicrobial copper coil fins** inhibit the growth of bacteria and maintain high levels of energy efficiency.

**EPDM seamless gasket seals** integrated into the door panels (photo page 4).

## The single source for building needs

Trane understands customer needs and provides performance sustainability in:

- Equipment selection and manufacturing
- Controls integration
- Full commissioning-Trane assumes responsibility for equipment performance certifications and results
- Service and maintenance
- Continued monitoring and system optimization

Once the project has been fulfilled, it is easy to get assistance from Trane experts and manage system fluctuations and fine tuning. This is possible by working in sync with the Trane teams that originally developed the units, controls and systems. This ensures service continuity as well as efficiency in answering any request for system improvement or adaptation throughout the life of the machine.

## Trane expertise

Trane is a pioneer in the HVAC industry and has consistently led the industry in providing solutions for ever changing needs. With a portfolio of proven equipment and controls, system-focused solutions, leading industry experts and highly trained sales engineers, Trane has the experience and expertise to design, manufacture, install and service an HVAC system that will meet environmental, business and building performance goals.



Trane – by Trane Technologies (NYSE: TT), a global climate innovator – creates comfortable, energy efficient indoor environments through a broad portfolio of heating, ventilating and air conditioning systems and controls, services, parts and supply. For more information, please visit [trane.eu](http://trane.eu) or [tranetechnologies.com](http://tranetechnologies.com).