






TRANE Thermostat ON-OFF for Fan Coil Valve

	DESCRIPTION	P/N	LIST PRICE
	ELECTRONICS ROOM THERMOSTAT 3-SPEED FAN ON-OFF 220VAC (WATER COIL ONLY)	THT-0036C	1,500
	DIGITAL LCD DISPLAY WIRED THERMOSTAT 3-SPEED FAN ON-OFF 220VAC	THT-0055C	900
	REMOTE HANDHELD FOR THT-0055C	THT-0057C	1,500
	MOTOR, FCU VALVE, SEALED SYNCHMETER W/STAINLESS สำหรับ VAL-0069C, VAL-0034C, VAL-0071C	MOT-13381	1,500
	HYSTERESIS MOTOR 5RPM, 220V, 50HZ สำหรับ VAL-9035, VAL-9037 และ VAL-0069C, VAL-0034C, VAL-0071C	70-MOT00003	900

TRANE Residential Type Temperature Control (*รับประกัน 1 ปี)

DESCRIPTION	P/N	LIST PRICE
ROOM THERMOSTAT (FOR CONVERTIBLE/CONCEALED TYPE)		
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (REFRIGERANT COIL)	024-0671	950
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL)	024-0672	950
ROOM THERMOSTAT (FOR CONVERTIBLE/CONCEALED TYPE)		
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (REFRIGERANT COIL)	024-0677	950
ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL)	024-0678	950
ROOM THERMOSTAT (FOR CONCEALED TYPE)		
ELECTRONIC ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL)	THT-0036C	950
DIGITAL ROOM THERMOSTAT (FOR CONCEALED TYPE)		
DIGITAL ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (REFRIGERANT COIL)	024-0495-004	1,300
DIGITAL ROOM THERMOSTAT, 3-SPEED, FAN, ON-OFF, 220VAC (WATER COIL)	024-0495-015	1,300
DIGITAL ROOM THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC (WATER COIL) ELECTRIC RETURN	024-0495-015-E	1,300
DIGITAL ROOM THERMOSTAT (FOR CONCEALED TYPE)		
NEW! DIGITAL ROOM THERMOSTAT II, 3-SPEED FAN, ON-OFF, 220 VAC (REFRIGERANT/WATER COIL)	70-TERM0014	1,500
DIGITAL WALL MOUNTED THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (*connect to control box by 2 core cable)		
DIGITAL WIRELESS WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0495-016+024-0498-001	3,000
DIGITAL WIRELESS WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (KEYCARD OPTION)	024-0495-031+024-0498-001	3,500



THERMOSTATS



DESCRIPTION	P/N	LIST PRICE
DIGITAL WIRED WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0495-016	2,500
DIGITAL WIRED WALL MOUNTED W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (KEYCARD OPTION)	024-0495-031	3,000
DIGITAL WIRELESS WALL MOUNTED II W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0495-034+024-1064	4,000
DIGITAL WIRED WALL MOUNTED II W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0495-034	3,500
DIGITAL WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (*connect to control box by 10 core cable)		
DIGITAL WIRELESS CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0417-004	3,000
DISPLAY FOR 024-0417-004	024-0417-004D	1,000
DIGITAL WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0508	2,500
DISPLAY FOR 024-0508	024-0508-D	1,000
DIGITAL LCD WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (*connect to control box by 2 core cable)		
DIGITAL LCD WIRELESS CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-1130+024-1064	3,500
DIGITAL LCD WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-1130	3,000
DISPLAY FOR 024-1130	024-1130-D	1,000
DIGITAL LED WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (*connect to control box by 2 core cable)		
DIGITAL LED WIRELESS CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0495-071+024-1064	3,000



DESCRIPTION	P/N	LIST PRICE
DIGITAL LED WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-0495-071	2,500
DIGITAL MINI DISPLAY THERMOSTAT (FOR CONCEALED TYPE) - REFRIGERANT COIL/WATER COIL (*connect to control box by 6 core cable)		
DIGITAL MINI DISPLAY WIRELESS W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-1132	3,300
RECEIVER FOR 024-1132	024-1132-R	700
DIGITAL LCD WIRED/WIRELESS THERMOSTAT (FOR CONCEALED TYPE) - WATER COIL ONLY		
DIGITAL LCD DISPLAY WIRED THERMOSTAT, 3-SPEED FAN, ON-OFF, 220VAC	THT-0055C	2,500
REMOTE HANDHELD FOR THT-0055C	THT-0057C	1,200
DIGITAL THERMOSTAT (FOR CONVERTIBLE TYPE)		
FOR MCX---EB (HI-COMMAND) DIGITAL WIRELESS CONTROL W/ CONTROL BOARD, 3-SPEED FAN, ON-OFF, 220VAC	024-0417	2,800
DIGITAL WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (*connect to control box by 10 core cable)	024-0508	2,500
FOR MCX512GB(5)-042GB(5) (NEW STYLUS) OLD Model => model before 2012 DIGITAL LCD WIRELESS CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW), ON-OFF, 220VAC	024-1081 +024-1064	3,300
RECEIVER FOR 024-1081 (*using with 8 core cable; 024-0228-9)	024-1081-R	700



THERMOSTATS

DESCRIPTION	P/N	LIST PRICE
DIGITAL LCD WIRED CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW/), ON-OFF, 220VAC (*connect PCB board and Display by 2 core cable)	024-1189	3,000
FOR MCX048GB-060GB (NEW STYLUS) OLD Model => model before 2012 DIGITAL LCD WIRELESS CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW/), ON-OFF, 220VAC	024-1083+024-1064	3,300
DIGITAL LCD WIRED CONTROL W/ CONTROL PCB, 4-SPEED FAN (POWER COOL/HI/MED/LOW/), ON-OFF, 220VAC (*connect PCB board and Display by 2 core cable)	024-1191	3,000
FOR MCX512GB-060GB (NEW STYLUS) NEW LED CONTROL => model since 2012 WIRELESS TYPE MCX512GB(5)-MCX536GB(5) MAIN CONTROL BOARD FOR MCX REMOTE CONTROL DISPLAY PCB (RECEIVER) + CABLE CONNECT (8 core)	024-1821 024-1064 024-1060+024-1061	2,000 1,600 700
MCX042GB(5)-MCX060GB MAIN CONTROL BOARD FOR MCX REMOTE CONTROL DISPLAY PCB (RECEIVER) + CABLE CONNECT (8 core)	024-1822 024-1064 024-1060+024-1061	2,000 1,600 700
WIRED TYPE MCX512GB-MCX536GB(5) MAIN CONTROL BOARD FOR MCX DISPLAY LED WIRED + CABLE CONNECT (2 core)	024-1821 024-1492+024-1819	2,000 1,000



DESCRIPTION	P/N	LIST PRICE
MCX042GB(5)-MCX060GB MAIN CONTROL BOARD FOR MCX DISPLAY LED WIRED + CABLE CONNECT (2 core)	024-1822 024-1492+024-1819	2,000 1,000
FOR MCX512HB-060HB (COOL-PLUS) (*connect PCB board and Display by 4 core cable) DIGITAL WIRELESS CONTROL W/ CONTROL PCB, 3-SPEED FAN, ON-OFF DIGITAL LED WIRED CONTROL W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC	024-1812+024-0498-001 024-1485	3,300 2,500
DIGITAL THERMOSTAT (FOR TALL FLOOR TYPE)		
FOR MCV---AB DIGITAL WIRED THERMOSTAT W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (*connect to control box by 8 core cable)	024-0415	2,000
FOR MCV---BB DIGITAL WIRED THERMOSTAT W/ CONTROL BOX, 3-SPEED FAN, ON-OFF, 220VAC (*connect to control box by 8 core cable)	024-1039+029-0320	2,500



THERMOSTATS



3

TRANE Mini Split and Commercial PCB Control

DESCRIPTION	P/N	LIST PRICE
PCB CONTROLLER SET (FOR CASSETTE TYPE)		
PCB CONTROLLER - FOR MCC---AB	040109040	3,500
SIGNAL RECEIVER PCB - FOR MCC---AB	040109020	1,100
** ใช้คู่กับ REMOTE HAND SET P/N : 024-0498-001		
PCB CONTROLLER - FOR CWS03-04 (04-0120-0113100)	70-BRD00025	3,500
PCB CONTROLLER - FOR CWS06-14 (04-0121-0113200)	70-BRD00023	3,500
SIGNAL RECEIVER PCB - FOR CWS03-04 (04-0130-0120202A)	70-ELEC0083	1,100
SIGNAL RECEIVER PCB - FOR CWS06-12 (04-0130-0109020A)	70-ELEC0098	1,100
PCB CONTROLLER - FOR MCC---1B0RAB**		
** ใช้คู่กับ REMOTE HAND SET P/N : 024-1064		
CONTROLLER SET FOR MCC5182B0RAA	999-36242440	4,500
CONTROLLER SET FOR MCC524-5482B0RAA	999-36242441	4,500
DISPLAY PCB (RECEIVER) FOR MCC___2B0RAA	999-0242028	1,200
PCB CONTROLLER SET (FOR HI-WALL TYPE)		
FOR MCW---9B (NEW GENIO/GENIO II)		
PCB CONTROLLER - FOR MCW509-5129B5A0 / MCW5129B5B0 (NEW GENIO)	024-0975	2,500
PCB CONTROLLER - FOR MCW5189B5A0 (NEW GENIO)	024-0908	2,500
PCB CONTROLLER - FOR MCW5249B5A0 (NEW GENIO)	024-0977	2,500
PCB CONTROLLER - FOR MCW5099B5B0 (GENIO II)	024-1111	2,500
PCB CONTROLLER - FOR MCW5129B5C0 (GENIO II)	024-1112	2,500
PCB CONTROLLER - FOR MCW5189B5B0 (GENIO II)	024-1113	2,500
PCB CONTROLLER - FOR MCW5249B5B0 (GENIO II)	024-1114	2,500



DESCRIPTION	P/N	LIST PRICE
FOR MCW---DB (TRIPPLE-E) MAIN PCB (DIGITAL) MCW509DB5A01 (024-1001) DISPLAY PCB (DIGITAL) MCW509DB5A01 (024-1041)	1090320903 1090250119	2,500 1,000
MAIN PCB (DIGITAL) MCW512,518,524DB5A01 (024-1005) DISPLAY PCB (DIGITAL) MCW512,518,524DB5A01 (024-1006)	1090500510 1090500507	2,500 1,000
MAIN PCB (DIGITAL) MCW512DB5A11 (024-1336) DISPLAY PCB (DIGITAL) MCW512DB5A11 (024-1041)	1090500141 1090250119	2,500 1,000
FOR MCW---SB/ TTK--SB (PREMIO) MAIN PCB MCW509SB5A00 MAIN PCB MCW512SB5A00 MAIN PCB MCW518SB5A00 MAIN PCB MCW524BB5A00, MCW524-530BB0A00 DISPLAY PCB MCW509SB5A00 (201332390226) DISPLAY PCB MCW512SB5A00, MCW518SB5A00 DISPLAY PCB MCW524BB5A00, MCW524-530BB0A00 MAIN PCB TTK515SB5E00, TTK518SB5E00 MAIN PCB TTL524MB0EFA	201332390848 201332590574 201332890261 201333090270 70-BRD00006 201332790114 201333190020 201335490040 201335490034	2,500 2,500 2,500 2,500 1,000 1,000 1,000 2,500 2,500
FOR MCW---BB (BRAVO) MAIN PCB MCW509BB5A00 MAIN PCB MCW512BB5A00, MCW512BB5A01 (30135282) MAIN PCB MCW515BB5A00 MAIN PCB MCW518BB5A00 MAIN PCB MCW518BB5A01 MAIN PCB MCW524BB5A00	30035563 70-BRD00026 30135453 30135296 301354531 30135377	2,500 2,500 2,500 2,500 2,500 2,500



THERMOSTATS

DESCRIPTION	P/N	LIST PRICE
DISPLAY PCB MCW509-518BB5A00, MCW512BB5A01, MCW518BB5A01 DISPLAY PCB MCW524BB5A00	30565088 30565017	1,000 1,000
FOR MCWA-BB (BRAVO INVERTER) MAIN PCB MCWA09BB5A00-MCWA12BB5A00 MAIN PCB MCWA18BB5A00	30138475 30138758	3,000 3,000
DISPLAY PCB MCWA09BB5A00-MCWA12BB5A00	30565088	1,000
FOR TTKA-BB5E00 (BRAVO INVERTER) MAIN BOARD FOR TTKA09BB5E00 MAIN BOARD FOR TTKA12BB5E00 MAIN BOARD FOR TTKA18BB5E00	30148045 30148016 301389901	7,000 7,000 11,000
FOR MCW5366BA00 MAIN PCB MCW5366BA00 Display PCB (LAMP BOARD)	70-BRD00008 70-BRD00027	3,000 1,000
PCB CONTROLLER SET (FOR RAUP)		
NEW! PCB CONTROLLER with Phase Protector - FOR RAUP** ** สามารถใช้แทน Board รุ่นเก่า P/N 024-0920 ได้	024-2042	22,000
PCB CONTROLLER SET (FOR CGAT)		
CONTROLLER SET FOR CGAT	024-1315+029-0334+029-0334-001	20,000



DESCRIPTION	P/N	LIST PRICE
REMOTE CONTROL		
NEW REMOTE HAND SET** - FOR MCX---EB / MCD / MCW---6B / MCW---7B / MCC---AB ** สามารถใช้แทนรุ่น P/N: 024-0601 ได้	024-0498-001	1,100
NEW REMOTE HAND SET** - FOR MCW---9B (NEW GENIO) W/ PLASMA ** สามารถใช้แทนรุ่น P/N: 024-0913 ได้	70-TERM0003	1,100
REMOTE HAND SET - FOR MCX---GB	024-1064	1,600
REMOTE HAND SET - FOR MCW---9B (GENIO) II W/ PLASMA	024-1065	1,600
REMOTE HAND SET - FOR MCW---DB (TRIPLE E) (024-1000)	1090130033+1071990014	1,100
REMOTE HAND SET - FOR MCW509-518SB (PREMIO)	203355091323	1,100
REMOTE HAND SET - FOR MCW524-530SB (PREMIO)	203355091206	1,100
REMOTE HAND SET - FOR MCW509-524BB5A00 , MCW512BB5A01 , MCW518BB5A01 (BRAVO)	30510050	1,100
REMOTE HAND SET - FOR MCWA09,A12,A18BB5A00 (BRAVO INVERTER)	30510049	1,100



THERMOSTATS

DESCRIPTION	P/N	LIST PRICE
SENSOR		
MCX (Hi-Command/New Stylus/Cool Plus)		
TEMPERATURE SENSOR FOR MCX---EB / MCX---GB / MCD / MCC---AB / MCC---1B	024-0219-1	150
FREEZE SENSOR FOR MCX---EB / MCX---GB / MCD / MCC---AB / MCC---1B	024-0219-2	150
TEMPERATURE SENSOR 2.5M. FOR MCX--HB (COOL PLUS)	024-0480	300
FREEZE SENSOR 2.5M. FOR MCX--HB (COOL PLUS)	70-SENS0046	300
(024-1496)	70-SENS0046	300
TEMPERATURE SENSOR FOR MCC---2B	025-0748-009 (70-SENS0069)	300
FREEZE SENSOR FOR MCC---2B	999-0242036	300
TRIPPLE-E		
TEMPERATURE SENSOR+FREEZE SENSOR FOR MCW---DB (TRIPPLE-E) (024-1003)	70-SENS0012	300
PREMIO		
TEMPERATURE SENSOR FOR MCW509SB5, 518SB5, 524SB5, 524SB, 530SB (PREMIO)	202433190000	250
TEMPERATURE SENSOR FOR MCW512SB5 (PREMIO)	202432390005	250
FREEZE SENSOR FOR MCW---SB (PREMIO)	202301300080	250
BRAVO/BRAVO INVERTER		
TEMPERATURE SENSOR FOR MCW512, 518, 524BB5A0, MCW512, 518BB5A1 (BRAVO), MCWA09, A12B-B5A00 (BRAVO INVERTER)	390000451	250
TEMPERATURE SENSOR FOR MCW515BB5A0 (BRAVO), MCWA18BB5A00 (BRAVO INVERTER)	390000453	250
FREEZE SENSOR FOR MCW512, 515, 518, 524BB5A0, MCW512, 518BB5A1 (BRAVO), MCWA09, A12B-B5A00 (BRAVO INVERTER)	390000591	250
FREEZE SENSOR FOR MCWA18BB5A00 (BRAVO INVERTER)	390000632	250
TEMPERATURE SENSOR FOR TTKA09BB5E00 (BRAVO INVERTER)	3900030804	400
TEMPERATURE SENSOR FOR TTKA12BB5E00 (BRAVO INVERTER)	3900030903	400
TEMPERATURE SENSOR FOR TTKA18BB5E00 (BRAVO INVERTER)	3900030901	400



TRANE Commercial Type Temperature Control (*รับประกัน 1 ปี)

DESCRIPTION	P/N	LIST PRICE
1 OR 2 STAGE THERMOSTAT**, ON-OFF, POWER SUPPLY 220VAC (FOR ALL TTA, RAUP250,300) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-4	024-0495-059	1,800
4-STAGE THERMOSTAT, ON-OFF, POWER SUPPLY 220VAC (FOR RAUP400,500,600)	024-0675	4,500
4-STAGE DIGITAL THERMOSTAT, ON-OFF, POWER SUPPLY 220VAC (FOR RAUP400,500,600) (*connect to control box by 8 core cable)	024-0417-007	5,500
MULTI-STAGE DIGITAL THERMOSTAT**, ON-OFF, POWER SUPPLY 220VAC (ALL TTA/RAUP) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-1 ได้	024-0495-060	4,500
PROPORTIONAL THERMOSTAT FOR WATER COIL		
PROPORTIONAL THERMOSTAT** WITHOUT 3-SPEED FAN, 24VAC, OUTPUT 0-10VDC (NO DISPLAY) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-4 ได้	024-0495-041	2,300
PROPORTIONAL THERMOSTAT** WITH 3-SPEED FAN, 24VAC, OUTPUT 0-10VDC (NO DISPLAY) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-4 ได้	024-0495-040	2,600



THERMOSTATS

DESCRIPTION	P/N	LIST PRICE
DIGITAL PROPORTIONAL THERMOSTAT** WITHOUT 3-SPEED FAN, 24VAC OUTPUT 0-10VDC (*connect to control box by 8 core cable) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-4 ได้	024-0495-028	3,300
DIGITAL PROPORTIONAL THERMOSTAT WITH 3-SPEED FAN, 24VAC, OUTPUT 0-10VDC (*connect to control box by 8 core cable) **สามารถต่อ EXTERNAL SENSOR P/N : 024-0219-4 ได้	024-0495-029	3,500
EXTERNAL TEMPERATURE SENSOR FOR PROPORTIONAL THERMOSTAT EXTERNAL TEMPERATURE SENSOR FOR PROPORTIONAL THERMOSTAT (FOR 024-0679)	024-0219-4 024-0219-9	150 150








THERMOSTAT SELECTION GUIDANCE

AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRIG/WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP. RANGE °C	POWER SUPPLY V/PH/Hz	SENSOR TYPE			
				WATER COIL	ON-OFF	ON-OFF	PROPORTIONAL 0-10 VDC												
Split Type Model : MCD		Room thermostat	024-0671 024-0672											16-30 16-30	220/1/50 220/1/50	Room Room			
Water Coil Type Model : HFCC/HFCD		Room thermostat	024-0677 024-0678											16-30 16-30	220/1/50 220/1/50	Room Room			
		Room thermostat	THT-0036C											10-30	220/1/50	Room			
		Digital wired control	024-0508												15-30	220/1/50	Duct		
		Digital wireless control	024-0417-004												15-30	220/1/50	Duct		
		Mini display wireless control	024-1132											15-30	220/1/50	Duct			
		Digital room thermostat	024-0495-004											18-30	220/1/50	Room			
		Digital room thermostat	024-0495-015												18-30	220/1/50	Room		
		NEW Digital room thermostat II	70-TERM0014											15-30	220/1/50	Room			
		Wired Wall I Thermostat	024-0495-016 024-0417-016 + 024-0498-001											15-30	220/1/50	Duct			
				Wireless Wall I Thermostat													15-30	220/1/50	Duct


THERMOSTATS

AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRIG/WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP. RANGE °C	POWER SUPPLY V/PH/Hz	SENSOR TYPE	
				REFRIGERANT COIL	WATER COIL	ON-OFF	PROPORTIONAL 0-10 VDC										
		Wired Wall II Thermostat	024-0495-034											15-30	220/1/50	Duct	
		Wireless Wall II Thermostat	024-0495-034 + 024-1064												15-30	220/1/50	Duct
		Wired LCD Thermostat	024-1130												15-30	220/1/50	Duct
		Wireless LCD Thermostat	024-1130 + 024-1064												15-30	220/1/50	Duct
		Wired LED Thermostat	024-0495-071												15-30	220/1/50	Duct
		Wireless LED Thermostat	024-0495-071 + 024-1064												15-30	220/1/50	Duct
		Wired LCD Thermostat	THT-0055C											5-35	220/1/50	Room	
		Wireless LCD Thermostat	THT-0055C + THT-0057C												5-35	220/1/50	Room
		Proportional Thermostat	024-0495-040												24/1/50	Room Duct (Option)	
		Digital Proportional Thermostat	024-0495-029											24/1/50	Room Duct (Option)		



AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRIG/ WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP. RANGE °C	POWER SUPPLY V/PH/Hz	SENSOR TYPE
				REFRIGERENT COIL	WATER COIL	ON-OFF	PROPORTIONAL 0-10 VDC									
Split type Odyssey Type Model : TTA		1 or 2 Stage Thermostat (For all TTA)	024-0495-059					•						16-30	220/1/50	Room Duct (Option)
																15-30
Split type Model : RAUP/TTV		4 Stage Room Thermostat (For RAUP400, RAUP500, RAUP600)	024-0675					•						16-30	220/1/50	Room
																16-30
		Multi-Stage Digital Thermostat (For all RAUP)	024-0495-060					•	•			•		15-30	220/1/50	Room Duct (Option)

THERMOSTATS

AIR CONDITIONING TYPE	PICTURE	THERMOSTAT MODEL	PART NO.	REFRIG./ WATER COIL		SIGNAL TYPE		COOLING ONLY MODE	DIGITAL DISPLAY	REMOTE CONTROL	3-SPEED FAN	ON-OFF BUTTON	ELEC-TRONIC DELAY TIMER	TEMP. RANGE °C	POWER SUPPLY V/PH/Hz	SENSOR TYPE	
				REFRIGERANT COIL	WATER COIL	ON-OFF	PROPORTIONAL 0-10 VDC										
Water Coil AHU Model : BDHA/BDCB Model : BDVA		1 or 2 Stage Thermostat (All model BDHA/BDCB w/ ON-OFF. Valve)	024-0495-059		•		•							16-30	220/1/50	Room Duct (Option)	
					•		•								16-30	24/1/50	Room Duct (Option)
					•		•		•								15-30

3

สายรีโมท (Cable for Thermostat)

สายรีโมทสำหรับ Mini display (6 cores)

****สายมาตรฐานมีความยาว 2 เมตร****



P/N	LENGTH	LIST PRICE
024-0228-4	4 เมตร	200
024-0228-6	6 เมตร	300
024-0228-8	8 เมตร	400
024-0228-10	10 เมตร	500

สายรีโมทสำหรับ Digital series (10 cores)

****สายมาตรฐานมีความยาว 4 เมตร****



P/N	LENGTH	LIST PRICE
024-0229-6	6 เมตร	200
024-0229-08	8 เมตร	300
024-0229-7	10 เมตร	400
024-0229-8	12 เมตร	500
024-0229-10	14 เมตร	500

สายรีโมทสำหรับ Commercial split system temperature control (8 cores)

****สายมาตรฐานมีความยาว 4 เมตร****



P/N	LENGTH	LIST PRICE
024-0231-6	6 เมตร	300
024-0231-8	8 เมตร	400
024-0230-10	10 เมตร	500


สายรีโมทสำหรับ Cool Plus (MCX - HB) series (4 cores)

P/N	LENGTH	LIST PRICE
024-1486	4 เมตร	150
999-0241486	6 เมตร	250
999-0241486-01	8 เมตร	350
999-0241486-02	10 เมตร	450
999-0241486-03	12 เมตร	550
999-0241486-04	14 เมตร	650
999-0241486-05	16 เมตร	750

NEW Trane Digital Grille



Trane Digital Grille



Dimension



Digital Thermostat



Wireless Remote Control

P/N	DESCRIPTION	LIST PRICE
70 – GRIL0031	Trane Digital Grille with Stepping Motor	6,000
-	Digital Grille + Digital Thermostat(70 – CONT0043)	7,000
-	Digital Grille + Digital Thermostat(70 – CONT0043) + Wireless Remote Control(024 – 1064)	8,000
024-1064	Wireless Remote Control	1,600

Features and Benefits

- ด้วยดีไซน์ที่สวยงามและขนาดกะทัดรัด เหมาะแก่การใช้งานตกแต่งและเพิ่มพื้นที่ใช้สอยให้มากยิ่งขึ้น
- Trane Digital Grille มาพร้อมฟังก์ชันการปรับทิศทางการลม (ขึ้น-ลง: ปรับได้ 70 องศา) ด้วยระบบอิเล็กทรอนิกส์ชนิดเพื่อการใช้งานที่สะดวกสบาย เหมาะสำหรับการติดตั้งใช้งานได้ทั้งบ้าน โรงแรม และอพาร์ทเมนท์
- ติดตั้งง่าย รองรับ fan coils ขนาด 1 – 2 tons
- รองรับการใช้งานร่วมกับ Trane concealed type หลาย model (HCD, HFCA, HFCC, HFCD) ช่วยประหยัดค่าใช้จ่ายโดยไม่ต้องติดตั้ง thermostat เพิ่มเติม

Intelligent Control

- ตั้งเวลาเปิด/ปิด fan coil unit
- หน้าจอแสดงผล 7 – segment LED display สามารถปรับความสว่างได้ เพื่อความชัดเจนในการมองเห็น
- โหมดการทำงานอัจฉริยะ Powercool, Econo, และ Sleep modes
- ระบบรักษาความปลอดภัยอัจฉริยะป้องกันการดำเนินงานผิดปกติของระบบ: Watchdog, Compressor delay protection, Compressor minimum on time, Non – volatile memory, Freeze protection, Sensor error, Error code display, และ Compressor status display