



R'newal[®] Service for Series R[®] and CGAM Chillers

Extend the life of your chiller



Extend the life of your chiller with a renewed compressor.



Trane R'newal compressors meet factory specifications for tolerance, material and efficiency.

A reliable and efficient Heating, Ventilating and Air Conditioning (HVAC) equipment is essential to the daily business operation. From maximizing productivity to assuring occupant comfort, there are many reasons to keep your chiller up and running.

For this purpose, you made a wise investment when you purchased a Trane Series R® or CGAM chiller years ago. The compressors had a reliability rate of over 99.5 percent in the first year of operation. However, with all mechanical equipment, deterioration occurs with time and usage. The key is to know when to take proactive steps to renew your equipment, maintaining reliable operation and minimizing financial risk. For these reasons, Trane has developed an R'newal® service program for your chiller.

The R'newal service program is a comprehensive service to replace worn materials, restore compressor performance (even on a failed compressor), and provide the same assured reliability as seen with a new Trane chiller. The decision to renew a compressor is based on a combination of factors:

- Chiller run hours
- Chiller starts
- Seasons of operation
- Severity of duty
- Risk tolerance
- Compressor failure

Is it time to renew?

A Trane account manager will work with you, using an exclusive computer model to evaluate the condition of your equipment. Together, we can help you plan in advance to determine the right time to renew!

Maximum benefit with minimal disruption

Down time is costly. That is why Trane Service plans the process around your business needs to minimize disruptions to your facility. Whether the R'newal is a proactive measure or performed after a compressor failure, we offer solutions to fit the needs of your facility and budget while minimizing down time.



Benefits

- **Advanced planning** – planned event versus an unexpected catastrophic failure
- **Budget** – capital budget versus maintenance expense
- **Save money** – R'newal process is fraction of the price of replacement
- **Less Risk** – includes long-term compressor warranty
- **Conserve environment** – prevent refrigerant leaks

Steps to the R'newal process

Step 1: Equipment evaluation

A Trane factory-authorized service technician completes a thorough equipment evaluation that includes looking at the age and operating hours.

Step 2: R'newal process

Unit compressors are removed and either remanufactured at our Trane facility or replaced with new. The unit's seals, gaskets and safety controls are also replaced at this time. We make upgrades or improvements to other components such as fans per your direction. The service technician then starts up and recommissions the unit. Once the unit has been started, Trane Service will send an oil and refrigerant sample to Analytical Services. This is to verify your unit is operating under the best possible conditions and to ensure years of dependable operation.

Step 3: Long-term support

The work completed is so detailed that Trane issues a new compressor and unit serial number, nameplate and a standard two-year parts and labor warranty on the R'newed compressor(s). There are also options to increase the warranty to five or seven years with a Trane service agreement. A two-year service agreement is required on R'newal service program for failed compressors.

**For more information on the R'newal service program,
contact your local Trane sales office.**

Learn more at trane.com



Trane – by Trane Technologies (NYSE: TT), a global climate innovator – creates comfortable, energy efficient indoor environments through a broad portfolio of heating, ventilating and air conditioning systems and controls, services, parts and supply. For more information, please visit trane.com or tranetechnologies.com.

All trademarks referenced in this document are the trademarks of their respective owners.

© 2021 Trane. All Rights Reserved.

SRV-SLB003-EN
05/27/2021